

DYMO®

XTL™

Industrial Labeling Solution



SIMPLIFIES THE MOST COMPLEX LABELING.

DYMO[®]

XTL[™]

WE BET YOU'VE NEVER EXPERIENCED INDUSTRIAL LABELING THIS SIMPLE.

Jobsite tested and packed with features, the DYMO[®] XTL[™] 300 and XTL 500 label makers help simplify industrial labeling for a more efficient, frustration-free experience. By incorporating cues from today's technology, XTL label makers offer a familiarity that makes using them easy. That's why over 80% of people who used an XTL label maker for eight weeks without any training said it performed better than their current label maker*. Built to meet your needs, DYMO XTL label makers offer the flexibility to print continuous tape, pre-sized labels, heat-shrink tubes and small format safety signage all from the same label maker. A full range of durable XTL labels are also available in a variety of materials and colors that fit with OSHA, ANSI and ISO color standards for workplace communication and safety.

Read on to see how XTL label makers are redefining simplicity.


LIFE-LIKE ON SCREEN PRINT PREVIEW

and color display shows exactly how labels will look when applied to cables, pipes, panels, and more



BUILT-IN LABEL APPLICATIONS

simply select an application from the Home screen to get started quickly



TOUCH SCREEN

helps make label creation easier and faster

(available only on XTL 500)



PRE-LOADED LABEL TEMPLATES

create labels 3x faster* and ensure perfect formatting to save time.

Also includes pre-set layouts for almost 100 patch panel models to eliminate size and spacing guesswork.



ADDITIONAL FEATURES INCLUDE:

- 1 3-Year Limited Warranty
- 2 Maximized print area helps reduce label waste
- 3 PC-connectivity to easily transfer labels to and from DYMO ID software for jobsite editing and printing
- 4 FREE DYMO ID software adds even more capability to your XTL label maker
- 5 Durable built-in cutter for fast label production
- 6 Impact-resistant rubber bumpers and wipe-clean keypad withstands harsh environments
- 7 On-screen label indicator automatically detects and displays the loaded label
- 8 Customizable printer settings eliminate unnecessary menus and steps

dymo.com

* when compared to creating labels on an XTL label maker without templates




DYMO® ID - ACHIEVING LABELING SIMPLICITY JUST GOT EASIER.

Using DYMO ID is easy thanks to a uniform experience that integrates the same great features found on your XTL™ label maker and packs them into a powerful PC-based software package. Once you've used an XTL label maker, learning to use DYMO ID will be a breeze. Available as a free download from dymo.com, DYMO ID will provide you with the functionality you need to tackle even the most complex labeling.


QUICKLY IMPORT DATA

to create a series of labels in just a few steps to eliminate manual entry, saving time and increasing productivity




OVER 200 PRE-LOADED

SYMBOLS & IMAGES or simply add a custom image to enhance communication and meet industry standards



SHEET LABELS

Quickly print XTL label maker Laminated Wire/Cable Wrap sheet labels directly to a laser printer



QUICK CUSTOMIZATION & UPGRADES

Simply plug your XTL into a PC and use DYMO ID software to customize your preferences and keep it up to date

DYMO ID WORKS WITH THE FOLLOWING:

- XTL 300 Label Maker
- XTL 500 Label Maker
- XTL Laminated Wire/Cable Wrap Sheet Labels
- Works with Windows®7 and later



Available as a **FREE** download from www.dymo.com

XTL™

Selection Guide



	XTL™ 300	XTL™ 500
Item #	1868813 / Kit: 1868814	1868815
Printing System	Thermal Transfer	Thermal Transfer
Max Label Width	1"	2"
Labels Supported	DYMO XTL	DYMO XTL
Display	2.8" Color	4" Color Touch Screen
Print Speed (average)	1.25" in/sec	1.10" in/sec
Keyboard	QWERTY	QWERTY
Print DPI	300	300
Printable Lines	11	24
Barcodes Supported	Code 128 (Auto), Code 39, Code 39 Mod 43, EAN8, EAN13, UPC-A, Codabar, PDF-417, QR Code	Code 128 (Auto), Code 39, Code 39 Mod 43, EAN8, EAN13, UPC-A, Codabar, PDF-417, QR Code
Serialization	Yes	Yes
Cutter	Manual, Replaceable	Auto, Replaceable
Power Supply	Rechargeable Lithium Polymer Battery or AC Adapter	Rechargeable Lithium Polymer Battery or AC Adapter
Memory	41 MB	41 MB
Warranty	3-Year Limited	3-Year Limited
PC Connectivity	YES	YES
Software	DYMO ID, free download	DYMO ID, free download
Compatibility	Windows® 7 and later	Windows® 7 and later
Pack Contents	<ul style="list-style-type: none"> • DYMO XTL 300 Label Maker • AC Charging Adapter • USB Cable • Rechargeable Lithium Polymer Battery • (1) 1 in x 23 ft All-Purpose Vinyl, Black/White • Lanyard • Quick Start Guide • Software Download Card <p>Kit includes everything above, plus:</p> <ul style="list-style-type: none"> • Carrying Case • (1) 13/16 in x 1 9/16 in Laminated Wire/Cable Wrap, Black/White, 150 labels 	<ul style="list-style-type: none"> • DYMO XTL 500 Label Maker • Carrying Case • AC Charging Adapter • USB Cable • Rechargeable Lithium Polymer Battery • (1) 2 in x 23 ft All-Purpose Vinyl, Black/White • (1) 1 ½ in x 1 9/16 in Laminated Wire/Cable Wrap Black/White, 150 labels • Quick Start Guide • Software Download Card

LABEL APPLICATIONS		
110 & Terminal Blocks	✓	✓
Arc Flash		✓
Asset Tracking	✓	✓
Breaker	✓	✓
Cable Wrap	✓	✓
Distribution Panel	✓	✓
Flag	✓	✓
General Label	✓	✓
Heat-Shrink Tube	✓	✓
Materials Management	✓	✓
Patch Panel	✓	✓
Pipe Marking		✓
Quick Label	✓	✓
Safety		✓



XTL™

THE RIGHT LABEL


MORE VERSATILITY.



DELIVERING VERSATILITY AND DURABILITY, NO MATTER WHAT THE TASK.

DYMO XTL™ labels are durable and made for a variety of surfaces. Whether you are labeling to OSHA, ISO and ANSI color standards or labeling in harsh conditions, DYMO XTL labels have you covered. Jobsite-tested and UL-recognized, these labels won't smear or fade. Compatible with DYMO XTL label makers.

ONE LABEL SYSTEM. COUNTLESS APPLICATIONS.



RECOMMENDED APPLICATIONS:

- DYMO XTL 300**
 - General Identification
 - Barcodes (1D and 2D)
 - Asset Tracking
 - Wire and Cable Identification
 - Networking Components Identification
 - Facilities Identification
- DYMO XTL 500**
 - General Identification
 - Barcodes (1D and 2D)
 - Asset Tracking
 - Data Communications Identification
 - MRO / Facilities Identification & Communication



XTL LABELS

Industrial-strength labels withstand the toughest conditions – moisture, chemicals, a wide range of temperatures, UV light and more.

- Durable thermal transfer printing technology – label text won't smear or fade
- Easy-to-peel split back design and pre-sized labels make applying labels quick and easy



ALL-PURPOSE VINYL

- Moisture, chemical and UV resistance makes vinyl ideal for indoor/outdoor use
- Wide range of colors that fit with OSHA, ANSI and ISO color standards to enhance workplace communication and safety
- UL recognized as a component to UL 969



FLEXIBLE CABLE WRAPS

- For labeling wires, cables and rounded surfaces, flexible nylon material is designed to conform and stick
- Tear-proof material resists damage when pulled through tight spaces or conduits
- UL recognized as a component to UL 969



LAMINATED WIRE/CABLE WRAPS

- Pre-sized wire/cable wraps with laminated overwrap protect printed areas from oil, chemicals, moisture, abrasion and fading
- Also available in sheet label formats for high-volume installations
- UL recognized as a component to UL 969



PRE-SIZED SAFETY LABELS

- Specific labels with colored headers including labels pre-printed with DANGER and NOTICE headers for on-demand printing of small format safety signage
- UL recognized as a component to UL 969



PERMANENT FLAT SURFACE

- For labeling panels, blocks, faceplates, shelves, bins, beams and more
- For labeling flat surfaces, a glossy finish leaves a professional look
- UL recognized as a component to UL 969



HEAT-SHRINK TUBES (CONTINUOUS AND PRE-SIZED)

- Heat-Shrink Tubes provide insulation when shrunk down and ensure a secure fit on wires and cables with a 3:1 shrink ratio
- Meets MIL-M-81531, MIL-STD-202G, SAE-DTL-23053/5 (Class 1 & 3)
- UL recognized as a component to UL 224




PRE-SIZED LABELS

- Ideal for flat surface labeling like barcodes, faceplates, shelves, bins, beams and more
- Pre-Sized labels help facilitate batch label printing to improve productivity
- UL recognized as a component to UL 969



XTL LABELS: A VISUAL GUIDE

LABEL WIDTHS




ALL-PURPOSE VINYL COLORS




PRE-SIZED LABELS




PRE-SIZED SAFETY LABELS



PRE-SIZED HEAT-SHRINK TUBE



LAMINATED WIRE/CABLE WRAPS



PERMANENT FLAT SURFACE



1868736 / 3/8" Black on White

1868740 / 1/2" Black on Clear

THE RIGHT LABEL FOR THE RIGHT APPLICATION.

		All-Purpose Vinyl	Permanent Flat Surface	Flexible Cable Wrap	Heat-Shrink Tube (continuous & pre-sized)	Laminated Wire/Cable Wraps	Pre-Sized Labels	Pre-Sized Safety Labels
Surface	Flat	✓	✓	✓			✓	✓
	Wires & Cables	✓		✓	✓	✓		
	Curved	✓		✓				
	Flag	✓		✓				
	Textured	✓	✓	✓			✓	✓
Resistance	Heat/Cold	-40° to 140° F	-40° to 140° F	-40° to 140° F	Max 257° F	-40° to 176° F	-40° to 140° F	-40° to 176° F
	Outdoor	✓	✓				✓	✓
	UV Light	✓	✓	✓	✓	✓	✓	✓
	Oil	✓	✓		✓	✓		
	Water	✓	✓		✓	✓	✓	✓
	Chemical	✓	✓		✓	✓		
Industry Standards & Ratings	Color	OSHA, ANSI, ISO color standards						Colored headers to comply with OSHA, ANSI, ISO color standards
	UL Recognized as a component to	UL 969	UL 969	UL 969	UL 224	UL 969	UL 969	UL 969
	MIL-Spec & SAE				MIL-M-8153 MIL-STD-202G SAE-DTL-230535 (Class 1 & 3)			
	RoHS	✓	✓	✓	✓	✓	✓	✓




DYMO®




CONTINUOUS & PRE-SIZED LABELS




All-Purpose Vinyl



Flexible Cable Wrap



Permanent Flat Surface



Heat-Shrink Tube (continuous)

Text Color on Label Color	Length	1/4 in	3/8 in	1/2 in	3/4 in	1 in	1-1/2 in	2 in
---------------------------	--------	--------	--------	--------	--------	------	----------	------

ALL-PURPOSE VINYL

ABC	23 ft	-	-	1868741	1868742	1868743	1868744	1868745
ABC	23 ft	-	-	1868746	1868747	1868748	1868749	1868750
ABC	23 ft	-	-	1868751	1868752	1868753	1868754	1868755
ABC	23 ft	-	-	1868756	1868757	1868758	1868759	1868760
ABC	23 ft	-	-	1868761	1868762	1868763	1868764	1868765
ABC	23 ft	-	-	1868766	1868767	1868768	1868769	1868770
ABC	23 ft	-	-	1868771	1868772	1868773	1868774	1868775
ABC	23 ft	-	-	1868776	1868777	1868778	1868779	1868780
ABC	23 ft	-	-	1868781	1868782	1868783	1868784	1868785
ABC	23 ft	-	-	1868786	1868787	1868788	1868789	1868790
ABC	23 ft	-	-	1868791	1868792	1868793	1868794	1868795
ABC	23 ft	-	-	1868796	1868797	1868798	1868799	1868800
ABC	23 ft	-	-	1868801	1868802	1868803	1868804	1868805

PERMANENT FLAT SURFACE

ABC	29.8 ft	1868735	1868736	1868737	-	-	-	-
ABC	29.8 ft	1868738	1868739	1868740	-	-	-	-

FLEXIBLE CABLE WRAP

ABC	18 ft	-	-	1868806	1868807	1868808	-	-
-----	-------	---	---	---------	---------	---------	---	---

HEAT-SHRINK TUBE (CONTINUOUS)

ABC	8.9 ft	1868809	-	1868810	-	1868811	-	1868812*
-----	--------	---------	---	---------	---	---------	---	----------

*Tape length 5.9 ft for #1868812 only



Heat-Shrink Tube
(pre-sized)



Pre-Sized
Labels



Pre-Sized
Safety Labels



Laminated
Wire/Cable Wraps



Laminated Wire/Cable Wraps
(sheet labels)

Text Color on Label Color	Item #	Label Width	Label Length	Labels / Cartridge	Compatible Label Maker
---------------------------	--------	-------------	--------------	--------------------	------------------------

PRE-SIZED HEAT-SHRINK TUBE

ABC	1868717	1/4 in	1-5/16 in	81	XTL 500
ABC	1868718	1/2 in	1-5/16 in	65	XTL 500
ABC	1868719	1 in	1-5/16 in	60	XTL 500
ABC	1868720	2-1/8 in	1-5/16 in	25	XTL 500
ABC	1868731	1/4 in	1-7/8 in	81	XTL 500
ABC	1868732	1/2 in	1-7/8 in	65	XTL 500
ABC	1868733	1 in	1-7/8 in	60	XTL 500
ABC	1868734	2-1/8 in	1-7/8 in	25	XTL 500

PRE-SIZED LABELS

ABC	1868665	1/2 in	1/2 in	250	XTL 300, XTL 500
ABC	1868666	1/2 in	1 in	250	XTL 300, XTL 500
ABC	1868667	1/2 in	1-1/2 in	185	XTL 300, XTL 500
ABC	1868668	1 in	1 in	250	XTL 500
ABC	1868669	3/8 in	1 in	250	XTL 300, XTL 500
ABC	1868670	1/2 in	3/4 in	250	XTL 300, XTL 500
ABC	1868701	3/4 in	1 in	250	XTL 300, XTL 500
ABC	1868702	1 in	2 in	100	XTL 500
ABC	1868703	2 in	3 in	100	XTL 500

PRE-SIZED SAFETY LABELS (WITH COLORED HEADERS)

ABC	1868713	2 in	4 in	70	XTL 500
ABC	1868714	2 in	4 in	70	XTL 500
NOTICE ABC	1868715	2 in	4 in	70	XTL 500
⚠ DANGER ABC	1868716	2 in	4 in	70	XTL 500

LAMINATED WIRE/CABLE WRAPS

ABC	1868704	13/16 in	13/16 in	250	XTL 300, XTL 500
ABC	1868705	13/16 in	1-9/16 in	150	XTL 300, XTL 500
ABC	1868706	13/16 in	4 in	75	XTL 300, XTL 500
ABC	1868707	1-1/2 in	13/16 in	250	XTL 500
ABC	1868708	1-1/2 in	1-9/16 in	150	XTL 500
ABC	1868709	1-1/2 in	4 in	75	XTL 500
ABC	1868710	2 in	13/16 in	250	XTL 500
ABC	1868711	2 in	1-9/16 in	100	XTL 500
ABC	1868712	2 in	4 in	70	XTL 500

LAMINATED WIRE/CABLE WRAPS (SHEET LABELS)

Text Color on Label Color	SKU #	Label Width	Label Length	Labels/Sheet	Sheets/Pack	Labels/Pack
ABC	1908552	1 in	7/8 in	96	27	2592
ABC	1908553	1 in	1-5/8 in	48	53	2544
ABC	1908554	1 in	4 in	16	63	1008
ABC	1908555	1-1/2 in	7/8 in	60	34	2040
ABC	1908556	1-1/2 in	1-5/8 in	30	34	1020
ABC	1908557	2 in	7/8 in	36	28	1008
ABC	1908558	2 in	1-5/8 in	18	56	1008

dymo.com

Your Sales Representative

Name _____

Direct _____ Mobile _____

Email _____



A **NewellRubbermaid** Brand